L Number	Hits	Search Text	DB	Time stamp
-	28	(713/201.ccls. and @ad<19991223) and ip	USPAT;	2003/09/30
-	50	adj security (713/201.ccls. and @ad<19991223) and ip	US-PGPUB USPAT;	12:44 2003/09/30
-	74	adj header @ad<19991223 and unencrypted with header	US-PGPUB USPAT;	12:44 2003/09/30
-	183	levesque.inv.	US-PGPUB USPAT;	14:39 2003/09/30
-	8	levesque.inv. and internet	US-PGPUB USPAT;	14:40 2003/09/30
-	1024	713/201.ccls. and @ad<19991223	US-PGPUB USPAT;	14:40 2003/09/30
_	153	713/153.ccls. and @ad<19991223	US-PGPUB USPAT;	14:41 2003/09/30
-	85	713/160.ccls. and @ad<19991223	US-PGPUB USPAT;	14:42 2003/09/30
-	34	713/154.ccls. and @ad<19991223	US-PGPUB USPAT;	16:44 2003/09/30
-	87	((713/201.ccls. and @ad<19991223) (713/154.ccls. and @ad<19991223)	US-PGPUB USPAT; US-PGPUB	15:28 2003/09/30 16:07
		(713/153.ccls. and @ad<19991223) (713/160.ccls. and @ad<19991223)) and sequence adj number		
-	2	((713/201.ccls. and @ad<19991223) (713/154.ccls. and @ad<19991223) (713/153.ccls. and @ad<19991223) (713/160.ccls. and @ad<19991223)) and	USPAT; US-PGPUB	2003/09/30 14:44
		sequence adj number with (modify modified)	WGD M.	2002/00/20
_	2	((713/201.ccls. and @ad<19991223) (713/154.ccls. and @ad<19991223) (713/153.ccls. and @ad<19991223) (713/160.ccls. and @ad<19991223)) and sequence adj number with (embedded modify	USPAT; US-PGPUB	2003/09/30
-	2	(713/154.ccls. and @ad<19991223) (713/153.ccls. and @ad<19991223) (713/160.ccls. and @ad<19991223)) and	USPAT; US-PGPUB	2003/09/30 14:45
-	12	sequence adj number with (leading remaining embedded modify modified) ((713/201.ccls. and @ad<19991223) (713/154.ccls. and @ad<19991223) (713/153.ccls. and @ad<19991223) (713/160.ccls. and @ad<19991223)) and sequence adj number with (lead bits leading remaining embedded modify	USPAT; US-PGPUB	2003/09/30 15:21
-	409	modified) @ad<19991223 and (sequence adj number)	USPAT;	2003/09/30
-	. 72	with (protocol) @ad<19991223 and (sequence adj number)	US-PGPUB USPAT;	15:22 2003/09/30
_	17	with (protocol) and encryption 713/154.ccls. and @ad<19991223 and header	US-PGPUB USPAT;	15:23 2003/09/30
-	26	@ad<19991223 and security adj header	US-PGPUB USPAT; US-PGPUB	15:32 2003/09/30 15:35
-	0	<pre>@ad<19991223 and security adj header with sequence adj number</pre>	US-PGPUB USPAT; US-PGPUB	2003/09/30 15:35
-	0	@ad<19991223 and security adj header same sequence adj number	USPAT; US-PGPUB	2003/09/30 15:43
-	3	@ad<19991223 and transport adj level same sequence adj number	USPAT; US-PGPUB	2003/09/30 15:44
-	25	((713/201.ccls. and @ad<19991223) (713/154.ccls. and @ad<19991223) (713/153.ccls. and @ad<19991223) (713/160.ccls. and @ad<19991223)) and	USPAT; US-PGPUB	2003/09/30 16:13
		sequence adj number and encrypted adj		0000 (00 (55
_	461	differentiated adj services	USPAT; US-PGPUB	2003/09/30 16:13

Search History

10/1/03 1:46:04 PM

-	97	(differentiated adj services) and @ad<19991223	USPAT; US-PGPUB	2003/09/30 16:14
-	17	((differentiated adj services) and	USPAT;	2003/09/30
	_ ا	@ad<19991223) and sequence adj number	US-PGPUB	16:15
-	5	((differentiated adj services) and @ad<19991223) and sequence adj number and	USPAT; US-PGPUB	2003/09/30 16:19
		encrypted adj data		
-	150	ENCAPSULATING adj SECURITY adj PAYLOAD	USPAT;	2003/09/30
<u>-</u>	38	ENCAPSULATING adj SECURITY adj PAYLOAD	US-PGPUB USPAT;	16:19 2003/09/30
		and @ad<19991223	US-PGPUB	16:19
-	1502	370/389,473,392.ccls. and @ad<19991223	USPAT;	2003/09/30
_	231	(370/389,473,392.ccls. and @ad<19991223)	US-PGPUB USPAT;	16:45 2003/09/30
		and sequence adj number	US-PGPUB	16:45
-	20	((370/389,473,392.ccls. and @ad<19991223)	USPAT;	2003/09/30
_	6	and sequence adj number) and encrypted transport adj level and ip adj security	US-PGPUB USPAT;	16:47 2003/09/30
	_		US-PGPUB	16:48
-	853	transport with protocol with type	USPAT;	2003/09/30
_	643	transport with protocol with type and ip	US-PGPUB USPAT;	16:48 2003/09/30
			US-PGPUB	16:49
	243	transport with protocol with type and ip and @ad<19991223	USPAT; US-PGPUB	2003/09/30 16:49
_	71	transport with protocol with type and ip	USPAT;	2003/09/30
		and @ad<19991223 and (encrypt\$6)	US-PGPUB	16:58
-	71	transport with protocol with type and ip and @ad<19991223 and (encrypt\$6)	USPAT; US-PGPUB;	2003/09/30 16:56
		and tad (cherypty)	EPO; JPO;	10.30
			DERWENT;	
_	674	 ip adj header same port	IBM_TDB USPAT;	2003/09/30
			US-PGPUB	16:59
-	250	(ip adj header same port) and @ad<19991223	USPAT; US-PGPUB	2003/09/30 16:59
_	48	((ip adj header same port) and	USPAT;	2003/09/30
	407	@ad<19991223) and encrypted	US-PGPUB	17:01
-	197	(route filter) same packet same (encrypted)	USPAT; US-PGPUB	2003/09/30 17:01
-	87	(route filter) same packet same	USPAT;	2003/09/30
		(encrypted) and @ad<19991223	US-PGPUB; EPO; JPO;	17:05
			DERWENT;	
	206622		IBM_TDB	0000 (00 (00
_	2966122	(route filter) same packet same (encrypted) not decryptand @ad<19991223	USPAT; US-PGPUB;	2003/09/30
		,	EPO; JPO;	= · · · · ·
			DERWENT;	
_	14	(route filter) same packet same	IBM_TDB USPAT;	2003/09/30
		(encrypted) and @ad<19991223 and sequence	US-PGPUB;	17:05
		adj number	EPO; JPO; DERWENT;	
			IBM_TDB	
-	3	5958053.URPN.	USPĀT	2003/09/30
-	1	"5754752".PN.	USPAT	17:16 2003/09/30
	-	HE CO A OE 1 11 DOI	II CDAM	17:26
-	1	"5684951".PN.	USPAT	2003/09/30 17:26
-	1	"5675740".PN.	USPAT	2003/09/30
-	2966010	 @ad<19991223	USPAT;	17:26 2003/10/01
			US-PGPUB	08:34
_	3	swipe adj protocol	USPAT;	2003/10/01
-	10726	store\$3 with header	US-PGPUB USPAT;	08:34 2003/10/01
			US-PGPUB	08:57
_	7114	@ad<19991223 and (store\$3 with header)	USPAT; US-PGPUB	2003/10/01 08:57
		<u> </u>		

-	181	store\$3 with header with transport	USPAT;	2003/10/01	
			US-PGPUB	08:57	١
-	119	(store\$3 with header with transport) and	USPAT;	2003/10/01	l
		@ad<19991223	US-PGPUB	08:57	l
-	36	(store\$3 with header with transport) and	USPAT;	2003/10/01	l
	1	@ad<19991223 and encrypt\$6	US-PGPUB	10:06	
-	346	sequence adj number same encrypted	USPAT;	2003/10/01	ı
			US-PGPUB	10:43	ĺ
_	186	@ad<19991223 and (sequence adj number	USPAT;	2003/10/01	l
		same encrypted)	US-PGPUB	10:06	l
-	33	(@ad<19991223 and (sequence adj number	USPAT;	2003/10/01	l
	j	same encrypted)) and ip	US-PGPUB	10:07	l
_	11181	sequence adj number and @ad<19991223	USPAT;	2003/10/01	
			US-PGPUB	10:43	
-	2040	sequence adj number with bits	USPAT;	2003/10/01	
	!		US-PGPUB	10:43	
-	1378	sequence adj number with bits and	USPAT;	2003/10/01	l
		@ad<19991223	US-PGPUB	10:43	
-	0	sequence adj number with bits and	USPAT;	2003/10/01	
		@ad<19991223 with (tcp udp)	US-PGPUB	10:44	ļ
-	0	sequence adj number with bits and	USPAT;	2003/10/01	l
		@ad<19991223 with (port)	US-PGPUB	10:44	l
-	0	sequence adj number and @ad<19991223 with	USPAT;	2003/10/01	l
		(port)	US-PGPUB	10:44	ĺ
-	0	sequence adj number and @ad<19991223 with	USPAT;	2003/10/01	l
	1	(tcp udp)	US-PGPUB	10:53	
-	34	bernstein and schenk	USPAT;	2003/10/01	
			US-PGPUB	10:57	
-	34	bernstein and schenk bernstein/schenk	USPAT;	2003/10/01	1
			US-PGPUB	10:54	
-	1	syncookies	USPAT;	2003/10/01	
1			US-PGPUB	10:57	ı